

SPECIALISTS IN MINING SINCE 1972

Dust Management Automated Washdown Systems
Fire Fighting Haul Road Maintenance Hydraulic Mining



www.magnumaustralia.com

Water Spray Head Valves



**1019D
MX80 (US P/#)**

Air Operated, Water to Open
Air to Close, 3" Inlet,
Single Acting

- 3" (80mm) BSPF inlet mount - Standard
- 3" (80mm) Weld on inlet mount - Standard option (WO)
- Optional : Camlock / Victaulic/Stortz Mounting Available
- 360 GPM (1350L) - Maximum setting standard outlet flow
- 360 Degree Valve angle adjustment




**1019-SA-H-MK2
MX80-SA-H-MK2 (US P/#)**

Hydraulically Operated,
Water to Open
Hydraulic Oil to close,
3" Inlet, Single Acting



**1019-DA-H-MK2
MX80-DA-H-MK2 (US P/#)**

Hydraulically open
Hydraulic oil to close
3" Inlet, Double Acting



MMV/B
Air Operated
1 1/2" Inlet

- 1 1/2" (40mm) Camlock (male) inlet mount - Standard
- 1 1/2" (40mm) Victaulic inlet mount - Standard option (- RG)
- 360 Degree Valve Angle Adjustment
- 150 GPM (565 L/Min) - maximum setting standard outlet flow




MMV/B-SA-H-MK2
Hydraulically operated



**1019D Spray Performance
MMV/B Spray Performance**

Spray Patterns can be customised
to suit your specifications



Track Crawler



TRACK POWERED WATER CANNON

Hydrostatic track drive for ALL Terrain
operating conditions

- optional track chassis configurations
- 10 H.P. electric start diesel engine powered
- 10 H.P. standard
- Radio Frequency (R.F.) joystick controlled
+200 metres operating range













WATER HOSE REEL

- Heavy Duty Manual & Hydraulic Heavy duty
polymer spool and discs - non corrosive
- Positive heavy duty locking mechanism to
prevent hose from unwinding
- Heavy duty A frame for easy and safe mounting
- galvanised or s/steel
- Heavy duty crank handle (stowable) for manual
operating models

Remote RM Range

Offering custom design units & systems to meet specific client demands for all applications on request

Cabin Switching Manual MM Range



Water Tanks

TRAILER MOUNTED 2000 Ltr



BOGIE DRIVE 13KL/15KL



SINGLE AXLE 8000 Ltr



OFF ROAD Articulated Rigid Standard sizes and configurations
Ex Stock custom design upon request




TWIN STEER 20KL



DROP IN TANKS
6000 & 10,500 Ltr




PUMP STATIONS Hydraulic - On Road



PUMP STATIONS
MINING

Petrol & Diesel
- Pump stations
to suit all
truck models
- on road
/off road vehicles



DISTRIBUTION

USA - Warehouses
- Nevada/Idaho
SOUTH AMERICA - Chile - Peru
INDONESIA - Jakarta
NEW ZEALAND - Auckland
AFRICA - Ghana
NEW CALEDONIA - Noumea
AUSTRALIA
- All States Represented
*Product available
- Ex Stock Warehouse



AUSTRALIA'S HYDRAULIC AND LUBRICATION SPECIALISTS

Ph 1300 026 637

Perth Newman Kalgoorlie Adelaide Toowoomba St George Brisbane
Hunter Valley Gladstone Mackay Townsville Mt Isa

www.cooperfluidsystems.com.au